

NINGBO JUDIN SPECIAL MONOFILAMENT CO.,LTD

WEB: WWW.JUDINGROUP.COM WWW.JUDIN-LINE.COM

CELL: +86 13586680186

EMAIL: INFO@JUDIN-LINE.COM

ADD: NO.288, XIANGSHAN EAST ROAD, CIXI CITY, NINGBO, 315311, CHINA



JUDIN GROUP
MONOFILAMENT & NET

JUDIN GROUP

2024 | PRODUCT
CATALOGUE



ABOUT US



15000 sqm SELF-OWNED FACTORY

In our own 15,000 square metre factory, you can efficiently manage your supply chain and production processes, and better monitor product quality and delivery times.



4000+ TONS ANNUAL PRODUCTION CAPACITY

Our factory has an annual output of more than 4,000 tons, which can meet the needs of various customers and ensure continuous supply.



80+ COUNTRIES OUR CLIENT BASE SPANS ACROSS

Our customer base is spread over more than 80 countries and our products or services are recognised and trusted by customers in different countries and regions.



1000+ SUCCESSFUL CUSTOMIZED SAMPLES

We focus on understanding our customers' needs and brand values to provide tailor-made solutions, with a total of 1,000+ customised samples provided.



Professional
Team

International
Certification



SGS

eurolins



amfori @ BSCI



1 International Petrochemical Raw Material Supply




2 Raw material warehouse - 1000 tons of reserves



3 Extrusion: 10 professional extrusion line



4 Test: Test strength every batch



5 Measure: Measure diameter every batch



6 Winding: Auto machine to ensure the length



7 Bulk Packing



8 Box Packing



9 Container transport

Standard Trimmer Line

Made of nylon material, offers both durability and cost-effectiveness. Specially processed using a unique drawing technique to ensure the material delivers optimal performance.

- ※ Obvious price advantage
- ※ Universal compatibility
- ※ Standard durability
- ※ Suitable for various common applications
- ※ Customizable shapes of cross-section
- ※ Diameters available in 0.65, 0.80, 0.95 inches, etc.
- ※ Various color, label, and packaging choices.

Professional Trimmer Line

The top choice for professional markets. Made from premium co-polymer materials, processed with special techniques, it has better wear resistance, smoother surface, higher light transmittance, higher softness, higher elongation and strength, longer service life, and higher efficiency.


- ※ Excellent wear resistance
- ※ Long service life
- ※ High flexibility
- ※ Perfect combination of high strength and high extensibility
- ※ Strong impact resistance, highly durable
- ※ Suitable for various temperatures and environments
- ※ Resistant to deformation in high and low temperatures
- ※ Available in customizable specifications: 0.065", 0.080"

Popular choice

Excellent performance


PRODUCT

LINE SHAPE



Round

Most popular line, has durable and balance cutting performance. Fits soft & fresh grass




Square

Dimond sharp edge offers excellent cutting performance. Fits tough & strong grass or weed.



Star

5 sharp angles greatly improve cutting work.




Hexagon

Multiple cut edges provide efficient cutting, high durability,




Saw Teeth

Most popular line, has durable and balance cutting performance. Fits soft & fresh grass




Metal

Most popular line, has durable and balance cutting performance. Fits soft & fresh grass




Triangle Edge Twist

Triangle offers more durable and effective cutting. The gap diversion air reduces noise.




Hexagon Edge Twist

Multiple cut edges provide efficient cutting, high durability. Outer layer improves wear resistance, Inner layer increases intensity.




Dual Power Round

Most popular line, has durable and balance cutting performance. Fits soft & fresh grass



Dual Power Square

Most popular line, has durable and balance cutting performance. Fits soft & fresh grass



Dual Power Twist

Outer layer improves wear resistance The inner layer increases strength Spiral shape reduces noise




Square Twist

Edge is sharp, high durability, twist design with low vibration and are ideal for handling heavy grass and weeds




Ellipse Spiral

The gap diversion air reduce noisy Soft cutting edge




Dimple

Noise reduction Superior wear resistance Long service life and durable




Cross

Soft cutting corners improve efficiency and keep the wearresistance, Multiple cut edges provide efficient cutting, high durability




3 CORNERS

SHARP edge provides excellent cutting performance. Inprove cutting efficiency.




Chess

Unique design, catch your eyes. Dimond shape with sharp edge provides excellent cutting performance, especially for tough & strong grass or weed.



Chess Twist

One layer improve the wear resistance, another layer increase intensity Easier to see in low light conditions Heavy use on all types of vegetation Spiral shape diversifies air to reduce noise



Double Edge

Four corners improve the wear resistance Inner layer increase intensity Easier to see in low light conditions Heavy use on all types of vegetation



Double Edge Twist

Four corners improve the wear resistance Inner layer increase intensity Easier to see in low light conditions Heavy use on all types of vegetation Spiral shape diversifies air to reduce noise




Double Layer

One layer improve the wear resistance Another Inner layer increase intensity Easier to see in low light conditions Heavy use on all types of vegetation




Double Layer Twist

One layer improve the wear resistance Another Inner layer increase intensity Easier to see in low light conditions Heavy use on all types of vegetation Spiral shape diversifies air to reduce noise



Quincunx

Soft cutting corners improve efficiency and keep the wearresistance.



Quincunx Twist

Soft cutting corners improve efficiency and keep the wearresistance, The gap diversion air design reduces noise.

SUPPORT CUSTOMIZATION

SIZE

1.3mm	1.3mm	1.3mm	1.3mm	1.3mm	1.3mm	1.3mm	1.3mm	1.3mm
0.050"	0.050"	0.050"	0.050"	0.050"	0.050"	0.050"	0.050"	0.050"

CARD HEAD

15m

BLISTER

15m/1/2LB/1LB

SPOOL

3LB/5LB/10LB/20LB





PACKING



Blister-1



Blister-2



Blister-3



Blister-4



Blister-5



Blister-6



Blister-7



Spool



Plastic Card



Card Head



Shelf



Sandwich Blister

Card Head

DIAMETER	1.3mm[0.050"]	1.6mm[0.065"]	2.0mm[0.080"]	2.4mm[0.095"]	2.7mm[0.105"]	3.0mm[0.120"]	3.3mm[0.130"]
ROUND ●	15m	15m	15m	15m	15m	15m	15m
STAR ★	15m	15m	15m	15m	15m	15m	15m
SQUARE ■	15m	15m	15m	15m	15m	15m	15m
TWIST ◆	15m	15m	15m	15m	15m	15m	15m
QTYICTN	288 pcs	240 pcs	192 pcs	168 pcs	144 pcs	120 pcs	120 pcs
CARTON SIZE	48x32x40cm	48x32x40cm	48x32x40cm	48x32x40cm	48x32x40cm	48x32x40cm	48x32x40cm

Small Blister

DIAMETER	1.3mm[0.050"]	1.6mm[0.065"]	2.0mm[0.080"]	2.4mm[0.095"]	2.7mm[0.105"]	3.0mm[0.120"]	3.3mm[0.130"]
ROUND ●	15m	15m	15m	15m	15m	15m	15m
STAR ★	15m	15m	15m	15m	15m	15m	15m
SQUARE ■	15m	15m	15m	15m	15m	15m	15m
TWIST ◆	15m	15m	15m	15m	15m	15m	15m
QTYICTN	192 pcs	192 pcs	120 pcs	120 pcs	80 pcs	80 pcs	80 pcs
CARTON SIZE	48x32x40cm	48x32x40cm	48x32x40cm	48x32x40cm	55x30x40cm	55x30x40cm	55x30x40cm

1/4LB Blister

DIAMETER	1.3mm[0.050"]	1.6mm[0.063"]	2.0mm[0.079"]	2.4mm[0.094"]	2.7mm[0.106"]	3.0mm[0.118"]	3.3mm[0.130"]
ROUND ●	74m	49m	31m	21m	17m	13m	11m
STAR ★	99m	65m	41m	29m	22m	18m	15m
SQUARE ■	67m	44m	28m	19m	15m	12m	10m
TWIST ◆	99m	65m	41m	29m	22m	18m	15m
QTYICTN	80 pcs	80 pcs	80 pcs	80 pcs	80 pcs	80 pcs	80 pcs
CARTON SIZE	55x30x40cm	55x30x40cm	55x30x40cm	55x30x40cm	55x30x40cm	55x30x40cm	55x30x40cm

1/2LB Blister

DIAMETER	1.3mm[0.050"]	1.6mm[0.063"]	2.0mm[0.079"]	2.4mm[0.094"]	2.7mm[0.106"]	3.0mm[0.118"]
ROUND ●	148m	98m	63m	43m	34m	28m
STAR ★	198m	131m	84m	58m	46m	37m
SQUARE ■	135m	89m	57m	39m	31m	25m
TWIST ◆	198m	131m	84m	58m	46m	37m
QTYICTN	40 pcs	40 pcs	40 pcs	40 pcs	40 pcs	40 pcs
CARTON SIZE	34x34x43cm	34x34x43cm	34x34x43cm	34x34x43cm	34x34x43cm	34x34x43cm

1LB Blister

DIAMETER	2.0mm[0.080"]	2.4mm[0.095"]	2.7mm[0.105"]	3.0mm[0.120"]	3.3mm[0.130"]	3.5mm[0.138"]	4.0mm[0.158"]
ROUND ●	126m	87m	69m	56m	46m	41m	31m
STAR ★	168m	116m	92m	75m	62m	55m	42m
SQUARE ■	114m	79m	63m	51m	42m	37m	29m
TWIST ◆	168m	116m	92m	75m	62m	55m	42m
QTYICTN	20 pcs	20 pcs	20 pcs	20 pcs	20 pcs	20 pcs	20 pcs
CARTON SIZE	41x41x24cm	41x41x24cm	41x41x24cm	41x41x24cm	41x41x24cm	41x41x24cm	41x41x24cm

1LB Spool

DIAMETER	2.0mm[0.080"]	2.4mm[0.095"]	2.7mm[0.105"]	3.0mm[0.120"]	3.3mm[0.130"]	3.5mm[0.138"]	4.0mm[0.158"]
ROUND ●	126m	87m	69m	56m	46m	41m	31m
STAR ★	168m	116m	92m	75m	62m	55m	42m
SQUARE ■	114m	79m	63m	51m	42m	37m	29m
TWIST ◆	168m	116m	92m	75m	62m	55m	42m
QTYICTN	24 pcs	24 pcs	24 pcs	24 pcs	24 pcs	24 pcs	24 pcs
CARTON SIZE	41x27x50cm	41x27x50cm	41x27x50cm	41x27x50cm	41x27x50cm	41x27x50cm	41x27x50cm

3LB Spool

DIAMETER	2.0mm[0.080"]	2.4mm[0.095"]	2.7mm[0.105"]	3.0mm[0.120"]	3.3mm[0.130"]	3.5mm[0.138"]	4.0mm[0.158"]
ROUND ●	377m	262m	207m	168m	139m	123m	94m
STAR ★	503m	349m	276m	224m	185m	164m	126m
SQUARE ■	343m	238m	188m	152m	126m	112m	86m
TWIST ◆	503m	349m	276m	224m	185m	164m	126m
QTYICTN	8 pcs	8 pcs	8 pcs	8 pcs	8 pcs	8 pcs	8 pcs
CARTON SIZE	37x37x22cm	37x37x22cm	37x37x22cm	37x37x22cm	37x37x22cm	37x37x22cm	37x37x22cm

5LB Spool

DIAMETER	2.0mm[0.080"]	2.4mm[0.095"]	2.7mm[0.105"]	3.0mm[0.120"]	3.3mm[0.130"]	3.5mm[0.138"]	4.0mm[0.158"]
ROUND ●	628m	437m	345m	279m	231m	205m	157m
STAR ★	839m	582m	460m	373m	308m	274m	210m
SQUARE ■	571m	397m	314m	254m	210m	187m	143m
TWIST ◆	839m	582m	460m	373m	308m	274m	210m
QTYICTN	4 pcs	4 pcs	4 pcs	4 pcs	4 pcs	4 pcs	4 pcs
CARTON SIZE	37x37x20cm	37x37x20cm	37x37x20cm	37x37x20cm	37x37x20cm	37x37x20cm	37x37x20cm



JH-101



JH-102



JH-103



JH-104



JH-105



JH-118



JH-119



JH-120



JH-121



JH-122



JH-106



JH-107



JH-108P



JH-108A



JH-108T



JH-123



JH-124



JH-125



JH-201



JH-202

JUDIN GROUP

JUDIN GROUP



JH-109



JH-110 PA



JH-110 PP



JH-111




JH-112



JH-203



JH-204



JH-205



JH-206



JH-207




JH-113



JH-114



JH-115




JH-116



JH-117



JH-208



JH-209




JH-210



JH-211



JH-213



JD-BL2T01

DIAMETER (MM)	255/305/355
TEETH	2
BORE (MM)	25.4
THICKNESS (MM)	1.4/1.6/1.8




JD-BL2T02

DIAMETER (MM)	255/305
TEETH	2
BORE (MM)	25.4/20
THICKNESS (MM)	3.0



JD-BL2T03

DIAMETER (MM)	305
TEETH	2
BORE (MM)	25.4/20
THICKNESS (MM)	1.6/1.8




JD-BL2T04

DIAMETER (MM)	255/305/355
TEETH	2
BORE (MM)	25.4
THICKNESS (MM)	1.4/1.6/1.8




JD-BL30T01

DIAMETER (MM)	255/270
TEETH	3
BORE (MM)	25.4
THICKNESS (MM)	1.8/2.0




JD-BL8T01

DIAMETER (MM)	200/230/255
TEETH	8
BORE (MM)	25.4
THICKNESS (MM)	1.4/1.6/1.8




JD-BL30T01

DIAMETER (MM)	255
TEETH	30
BORE (MM)	25.4
THICKNESS (MM)	1.6/1.8



JD-BL40T01

DIAMETER (MM)	255
TEETH	30
BORE (MM)	25.4
THICKNESS (MM)	1.6/1.8



JD-BL40T02

DIAMETER (MM)	230
TEETH	40
BORE (MM)	25.4
THICKNESS (MM)	1.3



JD-BL40T03

DIAMETER (MM)	255
TEETH	40
BORE (MM)	25.4
THICKNESS (MM)	1.3

JUDIN GROUP

JUDIN GROUP



JD-BL3T02

DIAMETER (MM)	255/305/355
TEETH	3
BORE (MM)	25.4
THICKNESS (MM)	1.4/1.6



JD-BL30T03

DIAMETER (MM)	230/255
TEETH	3
BORE (MM)	25.4
THICKNESS (MM)	1.6/1.8/2.0




JD-BL4T01

DIAMETER (MM)	255
TEETH	4
BORE (MM)	25.4
THICKNESS (MM)	1.6/1.8




JD-BL4T02

DIAMETER (MM)	200/230/255
TEETH	4
BORE (MM)	25.4
THICKNESS (MM)	1.4/1.6



JD-BL4T03

DIAMETER (MM)	300
TEETH	4
BORE (MM)	25.4
THICKNESS (MM)	3.0/4.0



JD-BL40T04

DIAMETER (MM)	255
TEETH	40
BORE (MM)	25.4
THICKNESS (MM)	1.3




JD-BL40T05

DIAMETER (MM)	255
TEETH	40
BORE (MM)	25.4
THICKNESS (MM)	1.3




JD-BL40T06

DIAMETER (MM)	255
TEETH	40
BORE (MM)	25.4
THICKNESS (MM)	1.3



JD-BL40T07

DIAMETER (MM)	255
TEETH	40
BORE (MM)	25.4
THICKNESS (MM)	1.3



JD-BL80T01

DIAMETER (MM)	255
TEETH	80
BORE (MM)	25.4
THICKNESS (MM)	1.6/1.8